BBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBB	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	00000000000000000000000000000000000000	KKK KKKKKKKK KKKKKKKK KKK KKK KKK KKK	KKK KKK KKK KKK KKK KKK	UUU         UUU           UUU         UUU	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP
BBBBBBBBBBBB	AAA AAA	2222222222	KKK	KKK	UUUUUUUUUUUUUUU	PPP
88888888888	AAA AAA	55555555555	KKK	KKK	UUUUUUUUUUUUU	PPP

BBBBBBBB BB BB BB BB BB BB BB BB BB BB BBBBBBBB	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	2222222 2222222 2222222 22222222 222222	KK	UU	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP	CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	MM MMMM MMMM MM M MM M MM MM MM MM MM MM	MM MMM MMMM MM MM MM MM MM MM MM MM
		\$						

```
module BACKUPCMD
        Version:
                        'V04-000'
 4567
             V03-005 LY0515
                       LY0515 Larry Yetto 24-JUL-1984 11:
Do not allow both /RECORD and /DELETE on the same line
                                                                             24-JUL-1984 11:08
 89
             V03-004 JEP0004 J. Eric
Revise /ENCRYPT syntax
                                             J. Eric Pollack.
                                                                             21-Aug-1983
V03-003 JEP0003
                                             J. Eric Pollack.
                                                                             23-Apr-1983 10:53
                        Add support for encrypted savesets.
             V03-002 MLJ0108
                                                                             13-Apr-1983
                                             Martin L. Jack
                        Remove $DATETIME from BEFORE and SINCE.
                       ACG0314 Andrew C. Goldstein 10-Feb-1983 2: Make /NOREWIND and /NOINITIALIZE default for save sets
             V03-001 ACG0314
                                                                             10-Feb-1983 22:24
     define type encryp_val
          keyword NAME
                                             value(type=$outlog)
                                             value(type=$outlog,default='DESCBC')
value(list)
          keyword ALGORITHM
          keyword VALUE
     define syntax BACKUP_LIST
          parameter P1
             label=INPUTS
             prompt="From"
          value(list.type=$infile)
parameter P2
             label=OUTPUTS
             prompt='To'
value(list,type=$outfile)
     define verb BACKUP
          parameter P1
             label=INPUTS
             prompt="From"
          value(required, list, type=$infile)
parameter P2
             label=OUTPUTS
             prompt="To"
          value(required, list, type=$outfile)
qualifier ANALYZE
          qualifier BACKUP
qualifier BEFORE
          value(required)
qualifier BLOCK_SIZE
value(required)
qualifier BRIEF
qualifier BUFFER_COUNT
          value(required)
qualifier (OMMENT
          value(required)
qualifier (OMPARE
          qualifier CONFIRM qualifier CRC
             default
```

```
qualifier CREATED qualifier DELETE qualifier DENSITY
value(required)
qualifier ENCRYPT
value(list.type=encryp_val)
disallow ENCRYPT.NAME and ENCRYPT.VALUE
qualifier EXCLUDE
                value(required, list, type=$infile)
qualifier EXPIRED
qualifier FAST
qualifier FULL
qualifier GROUP_SIZE
value(required)
qualifier IGNORE
                value(required, list, type=$infile)
qualifier IMAGE
qualifier INCREMENTAL
                 qualifier INITIALIZE
                qualifier INTERCHANGE qualifier JOURNAL
                    value(type=$outfile)
                 qualifier LABEL
                 value(required, list)
qualifier LIST
                    value
                 syntax=BACKUP_LIST qualifier LOG
                qualifier MODIFIED
qualifier NEW VERSION
qualifier OVERLAY
qualifier OWNER_UIC
                placement=local
value(type=$uic)
qualifier PHYSICAL
qualifier PROTECTION
                placement=positional
value(list)
qualifier RECORD
                 qualifier REPLACE
                qualifier REWIND qualifier SAVE_SET
                 placement=local
qualifier SELECT
                 value(required, list, type=$infile)
qualifier SINCE
                 value(required)
qualifier TRUNCATE
                 qualifier VERIFY
                 qualifier VOLUME
                     value(required)
108
                 disallow DELETE and RECORD
```

\$ SET COMMAND SHRLIB\$:BACKUP.CLD/OBJECT=OBJ\$:BACKUPCMD/LIST=LIS\$:BACKUPCMD

0010 AH-BT13A-SE

## DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

